Boardroom Video Wall 2.5mm quality 100" high x 176" wide (202" diagonal)



Product Code: P2-5.4.7-19

Availability: 1000 Weight: 750.00lb

Dimensions: 3.00in x 176.00in x 100.00in

Price: \$44,084.00

Short Description

Make any boardroom a high impact sales environment! 24/7 customer service and a 3 year manufacturing warranty.

Description

A large TV, that you can buy for your home, never says enough for a boardroom. An LED/LCD flat panel over 85― in diagonal would cost \$75 to \$100k. Projectors are always a bit problematic, with format alignments to laptops and the light wash out you get on the projection screen. NEVER AGAIN! LED Video Walls are high impact, highend and are extremely simple to connect too. This is 202" on the diagonal. It's huge! Your conference room will stand for innovation with an LED Wall versus a TV or projector. LED Wall Panels are changing the entire landscape of how different media is viewed in many different venues. Seamless interlocking systems are quickly taking over the large format video world because of their ability to exceed the size of LCD/Flat Panel TV production capabilities and now their quality levels are undeniably gorgeous.

This system can be easily expanded. There is no TV on the market today, that you can make larger. You end up having to buy a new one. This system can be increased in size later simply by adding seamless panels to it. The is a 4 panel x 7 panel system that make up this 202" diagonal screen. You can easily upgrade this later and turn this into a 6 panel x 9 panel system. The video controller is still the same so you only need to add the panels. It is simple.

This system not only allows you to push up cable or Directv content, it also allows you the ability to add up to 12 different inputs/delivery methods such as computer for youtube

viewing, online movie streaming and the list goes on. This system is complete pricing which means it comes with the LED wall panels, the video controller, cables (both CAT5 and Power) as well as all of the mounting hardware needed.

If installation is needed, we have local techs and can estimate all costs up front so there are no hidden fees for your budgeting purposes. We also offer service plans to maintain your system to ensure you are get the most life out of your system. Just call us and ask for a free installation or service estimate.

Don't be fooled by manufacturers that do not offer warranties and long term service plans. We partner with our customers and are proud of how we serve focused on a long term and ever evolving future. We help our customers achieve the most out of their systems.

ITEM SPECIFICATIONS:

- 1. This is a 2.5mm system, which means the distance between each LED is 2.5mm so attendees should be 8' or more, away for optimal image clarity.
- 2. These panels can hot swap. This is an important cost saving fact. Many competing systems do not hot swap. Hot swap means if, for some reason something struck and damaged a panel and it needed replacing, hot swap allows you to just remove that one panel without having to take all the panels above it apart. This saves a lot of labor time and more importantly labor costs when replacing.

When buying from LED Tranquility you get the following with your system:

- 1. 3 year manufacturer warranty (INCLUDED) on all equipment (specific to manufacturing defects)
- 2. 24/7 customer service by phone (INCLUDED) with any of our trained LED Tranquility technicians (for the life of the product)
- 3. A hot swap system (INCLUDED) of superior quality that saves you money long term
- 4. Peace of mind that you bought from a great US based company that is here to support you

These systems come with full installation instruction and can be installed by experienced A/V technicians. IF YOU WANT LED TRANQUILITY TO INSTALL THIS SYSTEM FOR YOU (HIGHLY RECOMMENDED) PLEASE CALL FOR AN ESTIMATE AS ESTIMATES FOR INSTALLATION ARE BASED ON LOCATION AND CANNOT BE PRICED THROUGH A WEBSITE.

Specifications

LED VIDEO WALL (2.5 mm quality) - INDOOR BOARDROOM



Add or subract panels to make any size needed! Individual Panels

Per	Panel Specifica	tions	
Cabinet	Size	25.1969 inch x 25.1969 inch	Γ
	Resolution	256 dots x 256 dots	
	Weight	24.25 pounds	
LED Module	Pixel Pitch (mm)	2.5 mm	
	Pixel Density	160000	
	Brightness	greater than 1400	
	Module Size	12.5984 inch x 6.29921 inch]
	Resolution	128 x 64	
	Weight	1.7637 pounds	
	Pixel Config	1R1G1B	
	Connector	Linco Brand	1
	LED Lamp	SMD2121	
	Driver IC	MB15124	
	Power Supply	G-energy	
Control System	Viewing Angle	140 degrees	1
	Brightness	greater than 1400	
	Brightness Adjust	Manual, 256 level; Auto 8 level	Ι
	Grey Scale	256 Shades Per Color	
	Grey levels	16 bits]
	Operating Temp	neg 20 Fahr to pos 140 Fahr	

Screen and control system	LED Expected Life	greater than 100,000 hours
	Input Voltage	120V 1p to 220v 3p
	Input Frequency	50/60Hz
	Power Consump	Max: 1000w Avg: 330w
	Refresh Rate	greater than 240Hz
	Frame Rate	greater than 60 frames/sec
	Defect Rate	less than .0001
	Humidity	0 - 90%
	Control Method	Video Processor or Comp
	Way of Drive	1/32 scan
	MTBF	greater than 50,000 hours
	Color Temp	6500K
	Color	greater than 16.7 million
	Support Mode	VGA, 800x800 display
	Control Distance	400 feet (optical up to 3 miles)
	Operating Platform	WINDOWS (98, 2000, XP, 7)
	oporating Hatioriii	111120110 (30, 2000, XI , 1)



