

# Conference Video Wall 4.81 mm quality 78" high x 137" wide (157" diagonal)

**Product Code:** P4-81.4.7-28

**Availability:** 1000

**Weight:** 750.00lb

**Dimensions:** 3.00cm x 137.00cm x 78.00cm

**Price:** \$11,770.00



## Short Description

A stage and podium and static until you add LED Video Wall to deliver dynamic content behind it. 24/7 customer service and a 3 year manufacturer warranty.

## Description

What is a conference stage and podium without an LED Video Wall delivering your brand and your message? The simple answer, is a place to take a quick nap. The largest TV's are not big enough and printed graphics, as a backdrop are static and boring. Electrify your next conference and capitalize on the reason you are there, which is to engage and educate those that took the time to visit. You have their interest when they walk in the door, but don't lose it because you know the result if you do. LED Video Walls are high impact, high-end and are extremely simple to connect too and we can cover the walls, even the ceiling, create shapes, twists and even 3Dimensional content to make your next conference an experience that people talk about..

This is 157" on the diagonal. It's huge! Make your conference stand apart from the rest. LED Wall Panels are changing the entire landscape of how different media is viewed in many different venues. Seamless interlocking systems are quickly taking over the large format video world because of their ability to exceed the size of LCD/Flat Panel TV production capabilities and now their quality levels are undeniably gorgeous.

This system can be easily expanded. There is no TV on the market today, that you can make larger. You end up having to buy a new one. This system can be increased in size later simply by adding seamless panels to it. The is a 4 panel x 7 panel system that make up this 157" diagonal screen. You can easily upgrade this later and turn this into a 6 panel

x 9 panel system. The video controller is still the same so you only need to add the panels. It is simple.

This system not only allows you to push up cable or Directv content, it also allows you the ability to add up to 12 different inputs/delivery methods such as computer for youtube viewing, online movie streaming and the list goes on. This system is complete pricing which means it comes with the LED wall panels, the video controller, cables (both CAT5 and Power) as well as all of the mounting hardware needed.

If installation is needed, we have local techs and can estimate all costs up front so there are no hidden fees for your budgeting purposes. We also offer service plans to maintain your system to ensure you are get the most life out of your system. Just call us and ask for a free installation or service estimate.

Don't be fooled by manufacturers that do not offer warranties and long term service plans. We partner with our customers and are proud of how we serve focused on a long term and ever evolving future. We help our customers achieve the most out of their systems.

#### ITEM SPECIFICATIONS:

1. This is a 4.81mm system, which means the distance between each LED is 4.81mm so attendees should be 18' or more, away for optimal image clarity.
2. These panels can hot swap. This is an important cost saving fact. Many competing systems do not hot swap. Hot swap means if, for some reason something struck and damaged a panel and it needed replacing, hot swap allows you to just remove that one panel without having to take all the panels above it apart. This saves a lot of labor time and more importantly labor costs when replacing.

When buying from LED Tranquility you get the following with your system:

1. 3 year manufacturer warranty (INCLUDED) on all equipment (specific to manufacturing defects)
2. 24/7 customer service by phone (INCLUDED) with any of our trained LED Tranquility technicians (for the life of the product)
3. A hot swap system (INCLUDED) of superior quality that saves you money long term
4. Peace of mind that you bought from a great US based company that is here to support you

These systems come with full installation instruction and can be installed by experienced A/V technicians. **IF YOU WANT LED TRANQUILITY TO INSTALL THIS SYSTEM FOR YOU (HIGHLY RECOMMENDED) PLEASE CALL FOR AN ESTIMATE AS ESTIMATES FOR INSTALLATION ARE BASED ON LOCATION AND CANNOT**

BE PRICED THROUGH A WEBSITE.


## Specifications

### LED VIDEO WALL (6 mm quality) - INDOOR CONFERENCES



EXAMPLE

Add or subtract panels to make any size needed!



Individual Panels



Signal Connection

Power Connection



**LED Tranquility**<sup>®</sup>  
THE TRUSTED SOURCE OF VIDEO WALL TECHNOLOGY

#### Per Panel Specifications

Category	Parameter	Value	Parameter	Value
Cabinet	Size	19.885 inch x 39.37 inch	LED Expected Life	greater than 100,000 hours
	Resolution	104 dots x 208 dots	Input Voltage	120V 1p to 220v 3p
	Weight	26.455 pounds	Input Frequency	50/60Hz
LED Module	Pixel Pitch (mm)	4.81mm	Power Consump	Max: 1000w Avg: 330w
	Pixel Density	43264 dots	Refresh Rate	greater than 240Hz
	Brightness	greater than 1500	Frame Rate	greater than 60 frames/sec
	Module Size	9.8425 inch x 9.8425 inch	Defect Rate	less than .0001
	Resolution	52 x 52	Humidity	0 - 90%
	Weight	28.6595 pounds	Control Method	Video Processor or Comp
	Pixel Config	1R1G1B	Way of Drive	1/32 scan
	Connector	Linco Brand	MTBF	greater than 50,000 hours
	LED Lamp	SMD2121	Color Temp	6500K
	Driver IC	MB15124	Color	greater than 16.7 million
Control System	Power Supply	G-energy	Support Mode	VGA, 800x800 display
	Viewing Angle	140 degrees	Control Distance	400 feet (optical up to 3 miles)
	Brightness	greater than 1500	Operating Platform	WINDOWS (98, 2000, XP, 7)
	Brightness Adjust	Manual, 256 level; Auto 8 level		
	Grey Scale	256 Shades Per Color		
	Grey levels	16 bits		
	Operating Temp	neg 20 Fahr to pos 140 Fahr		

Screen and Control System